

Notice of Allowability	Application No.	Applicant(s)
	10/562,943	FIALA, WERNER J.
	Examiner	Art Unit
	Scott J. Sugarman	2873
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to application papers filed 12-29-05.		
2. The allowed claim(s) is/are <u>1-25</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	- <b>-</b> :	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. Notice of Informal Pa	• •
	<ol> <li>Interview Summary ( Paper No./Mail Date</li> </ol>	
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>9-15-06</u></li> </ol>	Paper No./Mail Date 7. ☐ Examiner's Amendm	ent/Comment
4.   Examiner's Comment Regarding Requirement for Deposit	8.   Examiner's Statement	nt of Reasons for Allowance
of Biological Material	9.	

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 1-25 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art does not teach or suggest a lens zone having a depth of focus comprising a refractive power profile configured such that the depth of focus is at least 1.1 Diopters for light of 550 nm and where the area of the lens zone is at least 3.14 mm<sup>2</sup> (independent claims 1, 7 and 16).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Simpson et al (US 6,923,539) and Simpson (US 2006/0116763) are both cited to show other lenses having some similar structure, but does not teach or suggest a refractive power profile resulting in a depth of focus of at least 1.1 D for light of 550 nm, where the area of the lens zone is at least 3.14 mm<sup>2</sup>.

Application/Control Number: 10/562,943

Art Unit: 2873

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott J. Sugarman whose telephone number is (571)272-2340.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky L. Mack can be reached on (571)272-2333. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Scott J**(**Suga**ri**nan Primary Examiner Art Unit 2873 Page 3

sjs June 25, 2007